

**Amendments to the Claims**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Previously presented) A communication terminal device comprising:  
a printer for printing an image;  
an image memory for storing the image to be printed by the printer;  
an operation unit for inputting various instructions including interruption;  
and

a controller for causing the printer to print the image stored in the image memory, with an interruption condition being maintained, if no instructions are input from the operation panel for a prescribed period after the interruption is instructed from the operation panel, wherein the controller causes the printer to print the image stored in the image memory if a vacant area in the image memory is less than a predetermined value.

2. (Previously presented) A communication terminal device comprising:  
a printer for printing an image;  
an image memory for storing the image to be printed by the printer;  
an operation panel for inputting various instructions including interruption;  
and

a controller for causing the printer to print the image stored in the image memory, with an interruption condition being maintained, if printing is not performed by the printer for a prescribed period after the interruption is instructed from the operation panel, wherein the controller causes the printer to print the image stored in the image memory if a vacant area in the image memory is less than a predetermined value.

3. (Original) The communication terminal device of claim 1, wherein the controller interrupts printing by the printer if an interruption process needs to use

the printer, and then causes the printer to print according to the interruption process.

4. (Original) The communication terminal device of claim 2, wherein the controller interrupts printing by the printer if an interruption process needs to use the printer, and then causes the printer to print according to the interruption process.

5-6. (Canceled).

7. (Original) The communication terminal device of claim 1, wherein the image stored in the image memory is a facsimile image received from a remote party.

8. (Original) The communication terminal device of claim 2, wherein the image stored in the image memory is a facsimile image received from a remote party.

9. (Original) The communication terminal device of claim 3, wherein the image stored in the image memory is a facsimile image received from a remote party.

10. (Original) The communication terminal device of claim 4, wherein the image stored in the image memory is a facsimile image received from a remote party.

11. (Original) The communication terminal device of claim 1, wherein the image stored in the image memory is data received from a remote computer.

12. (Original) The communication terminal device of claim 2, wherein the image stored in the image memory is data received from a remote computer.

13. (Original) The communication terminal device of claim 3, wherein the image stored in the image memory is data received from a remote computer.

14. (Original) The communication terminal device of claim 4, wherein the image stored in the image memory is data received from a remote computer.

15. (Previously presented) A method comprising the steps of:

A) starting an interrupt condition:

A B) determining whether a predetermined period elapses; and

B C) printing ~~the an~~ image stored in a memory while maintaining the  
interrupt condition unless prescribed instructions are input for the predetermined  
period,

wherein the step B C is executed only when a remaining capacity of the  
memory is less than a predetermined value.

16-17. (Canceled)